

# 210260-PD-10-Tree schedule (BS5837)

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T1	1 Platanus x hispanica (London Plane)	17.0	83	1	9.0		9.0		7.5		7.5		1.5		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Form - Spreading crown. Root damage - Mower. Raised surface roots.	14/04/2021	311.7	10.0	40+	A1/A2
Tree T2	1 Platanus x hispanica (London Plane)	16.0	68	1	9.0		8.5		7.5		7.5		1.5		Mature	Structural condition Good. Physiological condition Good. Form - Spreading crown. Root damage - Mower. Raised surface roots.	14/04/2021	209.2	8.2	40+	A1/A2
Tree T3	1 Betula pendula (Silver Birch)	11.0	17	1	1.5		1.0		3.5		4.0		1.0		Early Mature	Structural condition Fair. Physiological condition Good. Competition - Adjacent trees.	14/04/2021	13.1	2.0	20-40	B2
Tree T4	1 Tilia sp. (Lime sp.)	13.0	40	1	5.0		5.0		5.0		5.0		1.5		Mature	Structural condition Fair. Physiological condition Good. Raised surface roots.	14/04/2021	72.4	4.8	20-40	B1/B2
Tree T5	1 Cerasus avium (Wild Cherry)	14.0	51	1	9.0		8.0		8.0		6.0		1.5		Mature	Structural condition Fair. Physiological condition Fair. Decay / structural defect - Base. Form - Spreading crown. Girdling roots - Minor. Root damage - Mower. Raised surface roots.	14/04/2021	117.7	6.1	20-40	B1/B2
Tree T6	1 Tilia sp. (Lime sp.)	13.0	40	1	5.0		5.0		4.0		5.0		1.5		Mature	Structural condition Fair. Physiological condition Good. Root damage - Mower. Raised surface roots.	14/04/2021	72.4	4.8	20-40	B1/B2
Tree T7	1 Betula pendula (Silver Birch)	7.0	14	1		1.5		0.5		1.0		7.0	2.0		Early Mature	Structural condition Poor. Physiological condition Fair. Competition - Adjacent trees. Decay / structural defect - Bole. Suppressed crown - Major. Unbalanced crown - Major.	14/04/2021	8.9	1.7	10-20	C2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T8	1 Betula pendula (Silver Birch)	8.0	13	1		1.0		0.5		0.5		4.5	2.0		Early Mature	Structural condition Poor. Physiological condition Fair. Competition - Adjacent trees. Suppressed crown - Major. Unbalanced crown - Major.	14/04/2021	7.6	1.6	10-20	C2
Tree T9	1 Betula pendula (Silver Birch)	13.0	27	1		0.5		0.5		3.0		6.5	2.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Raised surface roots.	14/04/2021	33.0	3.2	20-40	B1/B2
Tree T10	1 Fraxinus excelsior (Ash)	16.0	50	1		7.5		5.5		7.5		7.5	1.5		Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Historic. Buttresses / buttress roots - Minor adaptive growth / moderate development. Form - Spreading crown. Root damage - Mower. Raised surface roots.	14/04/2021	113.1	6.0	20-40	B1/B2
Tree T11	1 Betula pendula (Silver Birch)	9.5	16	1		0.5		1.5		4.5		0.5	2.0		Early Mature	Structural condition Poor. Physiological condition Fair. Competition - Adjacent trees.	14/04/2021	11.6	1.9	10-20	C2
Tree T12	1 Betula pendula (Silver Birch)	12.0	15	1		5.0		1.0		0.5		1.0	2.0		Early Mature	Structural condition Poor. Physiological condition Fair. Competition - Adjacent trees.	14/04/2021	10.2	1.8	10-20	C2
Tree T13	1 Betula pendula (Silver Birch)	10.0	12	1	1.5		1.5		1.5		1.5		1.5		Early Mature	Structural condition Poor. Physiological condition Fair. Competition - Adjacent trees.	14/04/2021	6.5	1.4	10-20	C2
Tree T14	1 Betula pendula (Silver Birch)	10.0	23 COM	3	1.0		4.0		6.0		1.0		2.0		Early Mature	Structural condition Poor. Physiological condition Fair. Competition - Adjacent trees. Multi-stemmed.	14/04/2021	24.0	2.8	10-20	C2
Tree T15	1 Betula pendula (Silver Birch)	9.0	14	1		3.5		4.0		1.0		1.0	2.0		Early Mature	Structural condition Poor. Physiological condition Fair. Competition - Adjacent trees.	14/04/2021	8.9	1.7	10-20	C2
Tree T16	1 Sorbus sp. (Sorbus sp.)	10.0	33	1		2.0		4.0		3.0		3.0	2.0		Mature	Structural condition Poor. Physiological condition Poor. Decline - Evident / observed. Deadwood - Major.	14/04/2021	49.3	4.0	0-10	U

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T17	1 Cedrus atlantica (Atlas Cedar)	15.0	61	1	9.0		9.0		7.5		7.5		1.5		Mature	Structural condition Fair. Physiological condition Fair. Form - Spreading crown. Root damage - Mower. Raised surface roots.	14/04/2021	168.3	7.3	20-40	B1/B2
Tree T18	1 Tilia x vulgaris (Common Lime)	16.0	46	1	6.0		4.5		6.0		6.0		2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	95.7	5.5	20-40	B1/B2
Tree T19	1 Tilia x vulgaris (Common Lime)	15.0	45	1	6.0		6.0		6.0		4.5		2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	91.6	5.4	20-40	B1/B2
Tree T20	1 Prunus sp. (Cherry sp.)	9.0	24	1	5.0		5.0		5.0		5.0		2.0		Mature	Structural condition Fair. Physiological condition Fair.	14/04/2021	26.1	2.9	20-40	B1/B2
Tree T21	1 Prunus sp. (Cherry sp.)	11.0	26	1	4.5		5.0		5.0		3.0		2.0		Mature	Structural condition Fair. Physiological condition Fair.	14/04/2021	30.6	3.1	20-40	B1/B2
Tree T22	1 Tilia x vulgaris (Common Lime)	16.0	47	1	6.0		5.5		5.5		6.0		2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Decay / structural defect in crown limb / limbs - Localised.	14/04/2021	99.9	5.6	20-40	B1/B2
Tree T23	1 Tilia x vulgaris (Common Lime)	17.0	50	1	6.0		6.0		5.0		4.0		2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Decay / structural defect in crown limb / limbs - Localised.	14/04/2021	113.1	6.0	20-40	B1/B2
Tree T24	1 Tilia x vulgaris (Common Lime)	17.0	46	1	6.0		4.0		3.5		4.0		2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Decay / structural defect in crown limb / limbs - Localised. Root damage - Mower. Raised surface roots.	14/04/2021	95.7	5.5	20-40	B1/B2
Tree T25	1 Tilia x vulgaris (Common Lime)	17.0	45	1	5.0		5.0		5.0		5.0		2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Decay / structural defect in crown limb / limbs - Localised. Root damage - Mower. Raised surface roots.	14/04/2021	91.6	5.4	20-40	B1/B2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T26	1 Tilia x vulgaris (Common Lime)	17.0	51	1	5.5		4.0		4.0		5.5		1.5		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Decay / structural defect in crown limb / limbs - Localised.	14/04/2021	117.7	6.1	20-40	B1/B2
Tree T27	1 Sorbus aria (Whitebeam)	10.0	32	1	6.5		7.0		3.0		3.0		2.0		Mature	Structural condition Poor. Physiological condition Fair. Decline - Evident / observed. Deadwood - Major.	14/04/2021	46.3	3.8	10-20	U
Tree T28	1 Sorbus aria (Whitebeam)	10.0	40	1	5.0		2.0		4.5		5.5		2.0		Mature	Structural condition Poor. Physiological condition Fair. Decline - Evident / observed. Deadwood - Major. Raised surface roots.	14/04/2021	72.4	4.8	10-20	U
Tree T29	1 Fraxinus excelsior (Ash)	13.0	38	1	5.0		7.5		6.5		6.0		2.0		Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Historic. Form - Spreading crown. Root damage - Mower. Raised surface roots.	14/04/2021	65.3	4.6	20-40	B1/B2
Tree T30	1 Acer pseudoplatanus (Sycamore)	13.0	40	1	4.5		4.5		4.5		4.5		3.0		Mature	Structural condition Fair. Physiological condition Fair. Buttresses / buttress roots - Minor adaptive growth / moderate development. Ivy or climbing plant.	14/04/2021	72.4	4.8	20-40	B1/B2
Tree T31	1 Cotoneaster sp. (Tree Cotoneaster)	3.5	20	1	3.0		0.5		0.5		4.0		2.0		Mature	Structural condition Poor. Physiological condition Fair. Form - Poor crown structure. Ivy or climbing plant.	14/04/2021	18.1	2.4	10-20	C2
Tree T32	1 Acer pseudoplatanus (Sycamore)	16.0	44	1	5.0		3.5		3.5		4.0		3.0		Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Historic. Decay / structural defect - Bole. Fork - Weak with included bark.	14/04/2021	87.6	5.3	20-40	B1/B2
Tree T33	1 Acer pseudoplatanus (Sycamore)	8.0	16	1		0.5		0.5		4.0		3.5	3.0		Early Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	14/04/2021	11.6	1.9	10-20	C1/C2
Tree T34	1 Acer pseudoplatanus (Sycamore)	17.0	67	1	6.5		6.0		7.0		7.0		2.0		Mature	Structural condition Fair. Physiological condition Good. Decay / structural defect - Bole. Fork - Weak with included bark. Rubbing limbs.	14/04/2021	203.1	8.0	20-40	B1/B2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T35	1 Tilia x vulgaris (Common Lime)	17.0	49	1	4.0		3.0		5.0		5.5		1.5		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Decay / structural defect in crown limb / limbs - Localised.	14/04/2021	108.6	5.9	20-40	B1/B2
Tree T36	1 Tilia x vulgaris (Common Lime)	17.0	45	1	3.5		4.0		5.0		5.0		2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Decay / structural defect in crown limb / limbs - Localised. Root damage - Mower. Raised surface roots.	14/04/2021	91.6	5.4	20-40	B1/B2
Tree T37	1 Tilia x vulgaris (Common Lime)	17.0	47	1	4.0		4.0		5.5		4.0		2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Decay / structural defect in crown limb / limbs - Localised. Root damage - Mower. Raised surface roots.	14/04/2021	99.9	5.6	20-40	B1/B2
Tree T38	1 Tilia x vulgaris (Common Lime)	17.0	44	1	4.5		6.0		5.5		4.0		2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Decay / structural defect in crown limb / limbs - Localised.	14/04/2021	87.6	5.3	20-40	B1/B2
Tree T39	1 Aesculus hippocastanum (Horse Chestnut)	16.0	66	1	7.5		7.0		7.5		7.0		2.0		Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Historic. Buttresses / buttress roots - Minor adaptive growth / moderate development. Decay / structural defect in crown limb / limbs - Localised. Form - Spreading crown. Girdling roots - Minor.	14/04/2021	197.1	7.9	10-20	C1/C2
Tree T40	1 Tilia x vulgaris (Common Lime)	15.0	44	1	4.5		4.5		4.0		4.0		2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	87.6	5.3	20-40	B1/B2
Tree T41	1 Tilia x vulgaris (Common Lime)	13.0	43	1	4.5		4.5		4.5		3.5		1.5		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Raised surface roots.	14/04/2021	83.6	5.2	20-40	B1/B2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T42	1 Tilia x vulgaris (Common Lime)	9.0	32	1	4.5		4.0		4.0		3.0			Mature	Structural condition Fair. Physiological condition Fair. Decay / structural defect - Bole. Form - Spreading crown.	14/04/2021	46.3	3.8	20-40	B1/B2	
Tree T43	1 Tilia x vulgaris (Common Lime)	12.0	49	1	4.5		5.0		5.0		5.0			Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Decay / structural defect - Bole.	14/04/2021	108.6	5.9	20-40	B1/B2	
Tree T44	1 Tilia x vulgaris (Common Lime)	16.0	47	1	5.0		5.0		5.0		5.0			Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Decay / structural defect - Bole.	14/04/2021	99.9	5.6	20-40	B1/B2	
Tree T45	1 Tilia x vulgaris (Common Lime)	16.0	48	1	5.0		4.5		5.0		5.0			Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Deadwood - Major. Root damage - Mower. Raised surface roots.	14/04/2021	104.2	5.8	20-40	B1/B2	
Tree T46	1 Tilia x vulgaris (Common Lime)	17.0	48	1	6.0		4.0		6.0		4.0			Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Decay / structural defect - Bole.	14/04/2021	104.2	5.8	20-40	B1/B2	
Tree T47	1 Tilia x vulgaris (Common Lime)	17.0	45	1	3.5		4.5		5.5		5.0			Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Decay / structural defect - Bole. Root damage - Mower. Raised surface roots.	14/04/2021	91.6	5.4	20-40	B1/B2	
Tree T48	1 Tilia x vulgaris (Common Lime)	17.0	51	1	5.0		6.5		5.5		5.0			Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Decay / structural defect - Bole. Root damage - Mower. Raised surface roots.	14/04/2021	117.7	6.1	20-40	B1/B2	
Tree T49	1 Tilia x vulgaris (Common Lime)	17.0	56	1	6.0		5.5		6.0		5.5			Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Arboricultural work - Recent. Decay / structural defect - Bole. Root damage - Mower. Raised surface roots.	14/04/2021	141.9	6.7	20-40	B1/B2	

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T50	1 Tilia x vulgaris (Common Lime)	17.0	54	1	6.5		5.5		5.5		5.0		3.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Arboricultural work - Recent. Decay / structural defect - Bole. Root damage - Mower. Raised surface roots.	14/04/2021	131.9	6.5	20-40	B1/B2
Tree T51	1 Tilia x vulgaris (Common Lime)	17.0	50	1	6.0		5.0		6.5		5.0		3.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Arboricultural work - Recent. Decay / structural defect - Bole.	14/04/2021	113.1	6.0	20-40	B1/B2
Tree T52	1 Tilia x vulgaris (Common Lime)	17.0	48	1	6.5		5.0		6.5		6.5		2.5		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Arboricultural work - Recent. Decay / structural defect - Bole.	14/04/2021	104.2	5.8	20-40	B1/B2
Tree T53	1 Tilia x vulgaris (Common Lime)	14.0	38	1	2.0		6.5		5.5		5.0		2.5		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Competition - Adjacent trees.	14/04/2021	65.3	4.6	20-40	B1/B2
Tree T54	1 Tilia x vulgaris (Common Lime)	15.0	43	1	5.5		7.0		4.5		5.0		2.5		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Competition - Adjacent trees.	14/04/2021	83.6	5.2	20-40	B1/B2
Tree T55	1 Tilia x vulgaris (Common Lime)	15.0	42	1	5.5		6.5		6.0		5.5		2.5		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	79.8	5.0	40+	A1/A2
Tree T56	1 Tilia x vulgaris (Common Lime)	15.0	42	1	6.0		6.5		6.0		6.0		2.5		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	79.8	5.0	40+	A1/A2
Tree T57	1 Tilia x vulgaris (Common Lime)	16.0	45	1	6.0		6.5		6.0		6.0		2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	91.6	5.4	40+	A1/A2
Tree T58	1 Tilia x vulgaris (Common Lime)	16.0	46	1	6.0		6.5		6.0		6.0		2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	95.7	5.5	40+	A1/A2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T59	1 Tilia x vulgaris (Common Lime)	15.0	49	1	6.0	6.5	6.0	6.0				2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Root damage - Mower. Raised surface roots.	14/04/2021	108.6	5.9	40+	A1/A2	
Tree T60	1 Tilia x vulgaris (Common Lime)	15.0	45	1	6.0	6.5	5.5	6.0				2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	91.6	5.4	40+	A1/A2	
Tree T61	1 Tilia x vulgaris (Common Lime)	16.0	45	1	5.0	6.5	5.0	5.5				2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	91.6	5.4	40+	A1/A2	
Tree T62	1 Tilia x vulgaris (Common Lime)	16.0	48	1	6.0	7.0	5.0	6.5				2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	104.2	5.8	40+	A1/A2	
Tree T63	1 Tilia x vulgaris (Common Lime)	16.0	47	1	5.0	6.5	5.0	5.5				2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	99.9	5.6	40+	A1/A2	
Tree T64	1 Tilia x vulgaris (Common Lime)	16.0	45	1	5.0	6.5	5.0	5.5				2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	91.6	5.4	40+	A1/A2	
Tree T65	1 Tilia x vulgaris (Common Lime)	16.0	45	1	5.0	6.5	5.0	6.0				2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	91.6	5.4	40+	A1/A2	
Tree T66	1 Tilia x vulgaris (Common Lime)	16.0	44	1	5.0	6.5	5.0	5.0				2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	87.6	5.3	40+	A1/A2	
Tree T67	1 Tilia x vulgaris (Common Lime)	16.0	47	1	5.5	6.5	5.5	5.5				2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	99.9	5.6	40+	A1/A2	
Tree T68	1 Tilia x vulgaris (Common Lime)	16.0	48	1	5.5	6.5	6.0	5.5				2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	104.2	5.8	40+	A1/A2	

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By





Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T69	1 Tilia x vulgaris (Common Lime)	16.0	50	1	6.5	6.5	5.5	6.5				1.5		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	113.1	6.0	40+	A1/A2	
Tree T70	1 Tilia x vulgaris (Common Lime)	16.0	46	1	4.0	6.0	5.5	6.0				1.5		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic.	14/04/2021	95.7	5.5	20-40	B1/B2	
Tree T71	1 Ailanthus altissima (Tree Of Heaven)	10.0	52 COM	2	5.5	4.5	3.0	6.0				3.0		Mature	Structural condition Fair. Physiological condition Fair. Crown reduction - Historic. Leaning trunk - Minor.	14/04/2021	124.0	6.3	10-20	C1/C2	
Tree T72	1 Sambucus nigra (Elder)	4.0	20 COM	5	2.0	1.5	2.0	1.5				1.5		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	14/04/2021	18.3	2.4	10-20	C2	
Tree T73	1 Sambucus nigra (Elder)	4.0	13	1	1.0	1.0	3.5	1.5				1.5		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	14/04/2021	7.6	1.6	10-20	C2	
Tree T74	1 Sambucus nigra (Elder)	4.0	17 COM	2	2.0	1.5	1.0	1.0				1.5		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	14/04/2021	14.2	2.1	10-20	C2	
Tree T75	1 Sambucus nigra (Elder)	4.0	34 COM	6	4.0	3.0	4.0	4.0				1.5		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	14/04/2021	53.2	4.1	10-20	C2	
Tree T76	1 Cotoneaster sp. (Tree Cotoneaster)	4.0	17 COM	2	1.0	1.0	2.0	1.5				1.5		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	14/04/2021	14.2	2.1	10-20	C2	
Tree T77	1 Ailanthus altissima (Tree Of Heaven)	8.0	31 COM	2	4.0	3.0	4.0	3.0				1.5		Mature	Structural condition Fair. Physiological condition Fair. Decay / structural defect - Bole. Fork - Weak with included bark.	14/04/2021	44.6	3.8	10-20	C1/C2	
Tree T78	1 Platanus x hispanica (London Plane)	14.0	57	1	8.0	7.5	6.5	6.5				1.5		Mature	Structural condition Fair. Physiological condition Good. Form - Spreading crown.	14/04/2021	147.0	6.8	40+	A1/A2	

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T79	1 Cerasus avium (Wild Cherry)	9.5	38	1		5.5		3.0		5.0		5.0	2.0		Mature	Structural condition Poor. Physiological condition Fair. Decay / structural defect - Bole. Root damage - Mower. Raised surface roots.	14/04/2021	65.3	4.6	10-20	C1/C2
Tree T80	1 Cerasus avium (Wild Cherry)	9.5	36	1	4.5		5.5		5.0		4.5		2.0		Mature	Structural condition Poor. Physiological condition Fair. Decay / structural defect - Base. Decay / structural defect - Bole. Root damage - Mower. Raised surface roots.	14/04/2021	58.6	4.3	10-20	C1/C2
Tree T81	1 Cerasus avium (Wild Cherry)	9.5	46	1	6.0		6.5		5.5		6.0		2.0		Mature	Structural condition Poor. Physiological condition Fair. Decay / structural defect - Base. Decay / structural defect - Bole. Root damage - Mower. Raised surface roots. Ganoderma adspersum at base.	14/04/2021	95.7	5.5	10-20	C1/C2
Tree T82	1 Platanus x hispanica (London Plane)	10.0	28	1		6.0		4.0		3.0		4.0	3.0		Early Mature	Structural condition Fair. Physiological condition Fair. Leaning trunk - Minor.	14/04/2021	35.5	3.4	20-40	B1/B2
Tree T83	1 Platanus x hispanica (London Plane)	10.0	28	1		5.0		3.0		4.0		4.0	3.0		Early Mature	Structural condition Fair. Physiological condition Fair. Leaning trunk - Minor.	14/04/2021	35.5	3.4	20-40	B1/B2
Tree T84	1 Platanus x hispanica (London Plane)	10.0	27	1		6.0		4.0		3.0		4.0	2.5		Early Mature	Structural condition Fair. Physiological condition Fair. Leaning trunk - Minor.	14/04/2021	33.0	3.2	20-40	B1/B2
Tree T85	1 Cerasus avium (Wild Cherry)	9.5	49	1	6.5		5.0		7.0		7.0		1.5		Mature	Structural condition Fair. Physiological condition Fair. Bark exudation. Decay / structural defect - Bole. Form - Spreading crown. Girdling roots - Minor. Root damage - Mower. Raised surface roots.	14/04/2021	108.6	5.9	10-20	C1/C2
Tree T86	1 Platanus x hispanica (London Plane)	15.0	49	1	7.0		6.0		5.0		4.0		2.5		Mature	Structural condition Fair. Physiological condition Good. Form - Spreading crown. Raised surface roots.	14/04/2021	108.6	5.9	40+	A1/A2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T87	1 Cerasus avium (Wild Cherry)	9.5	48	1	6.5		4.0		6.5		6.5		1.5		Mature	Structural condition Fair. Physiological condition Fair. Decay / structural defect - Bole. Root damage - Mower. Raised surface roots.	14/04/2021	104.2	5.8	10-20	C1/C2
Tree T88	1 Platanus x hispanica (London Plane)	15.0	39	1		7.0		6.0		4.5		6.0	1.5		Mature	Structural condition Fair. Physiological condition Good. Leaning trunk - Minor.	14/04/2021	68.8	4.7	40+	A1/A2
Tree T89	1 Fraxinus excelsior (Ash)	8.5	17	1	2.0		2.0		3.0		3.0		2.0		Early Mature	Structural condition Poor. Physiological condition Fair. Decay / structural defect - Bole.	14/04/2021	13.1	2.0	10-20	C1/C2
Tree T90	1 Robinia pseudoacacia (False Acacia sp./Black Locust)	11.0	34	1	4.5		4.0		5.0		4.5		2.0		Early Mature	Structural condition Fair. Physiological condition Fair. Decay / structural defect - Base. Decay / structural defect - Bole. Fork - Weak with included bark. Girdling roots - Major. Root damage - Mower. Raised surface roots.	14/04/2021	52.3	4.1	10-20	C1/C2
Tree T91	1 Platanus x hispanica (London Plane)	15.0	41	1		7.0		6.0		4.5		6.0	1.5		Mature	Structural condition Fair. Physiological condition Fair. Leaning trunk - Minor.	14/04/2021	76.0	4.9	20-40	B1/B2
Tree T92	1 Platanus x hispanica (London Plane)	13.0	30	1		4.0		4.5		4.0		3.0	2.0		Early Mature	Structural condition Fair. Physiological condition Fair. Deadwood - Major. Leaning trunk - Major.	14/04/2021	40.7	3.6	20-40	B1/B2
Tree T93	1 Acer platanoides (Norway Maple)	12.0	34	1	5.0		5.0		5.0		5.0		2.0		Mature	Structural condition Fair. Physiological condition Fair. Bark wound - Minor.	14/04/2021	52.3	4.1	20-40	B1/B2
Tree T94	1 Platanus x hispanica (London Plane)	15.0	41	1		6.0		6.0		4.5		3.0	1.5		Mature	Structural condition Fair. Physiological condition Fair. Leaning trunk - Minor.	14/04/2021	76.0	4.9	20-40	B1/B2
Tree T95	1 Acer platanoides (Norway Maple)	14.0	49	1	7.5		6.5		5.0		5.0		2.0		Mature	Structural condition Fair. Physiological condition Fair. Bark wound - Major. Decay / structural defect - Base. Decay / structural defect - Bole. Form - Spreading crown. Girdling roots - Major. Raised surface roots.	14/04/2021	108.6	5.9	10-20	C1/C2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T96	1 Platanus x hispanica (London Plane)	16.0	57	1	7.5	7.5	7.5	8.0			2.0		Mature	Structural condition Fair. Physiological condition Good. Form - Spreading crown. Raised surface roots.	14/04/2021	147.0	6.8	40+	A1/A2		
Tree T97	1 Platanus x hispanica (London Plane)	13.0	34	1		6.5	5.0	4.5	5.0		2.0		Early Mature	Structural condition Fair. Physiological condition Good. Leaning trunk - Minor.	14/04/2021	52.3	4.1	20-40	B1/B2		
Tree T98	1 Platanus x hispanica (London Plane)	12.0	32	1	6.0	6.5	4.0	5.5			2.0		Early Mature	Structural condition Fair. Physiological condition Good. Leaning trunk - Minor.	14/04/2021	46.3	3.8	20-40	B1/B2		
Tree T99	1 Platanus x hispanica (London Plane)	12.0	38	1		6.5	4.0	4.0	6.0		1.5		Early Mature	Structural condition Fair. Physiological condition Good. Leaning trunk - Major.	14/04/2021	65.3	4.6	20-40	B1/B2		
Tree T100	1 Platanus x hispanica (London Plane)	10.0	29	1	5.5	3.0	2.5	3.0			1.5		Early Mature	Structural condition Fair. Physiological condition Good. Leaning trunk - Major.	14/04/2021	38.0	3.5	20-40	B1/B2		
Tree T101	1 Robinia pseudoacacia (False Acacia sp./Black Locust)	11.0	30	1	4.0	4.0	4.0	4.0			4.0		Mature	Structural condition Fair. Physiological condition Fair. Deadwood - Minor. Raised surface roots.	14/04/2021	40.7	3.6	20-40	B1/B2		
Tree T102	1 Platanus x hispanica (London Plane)	11.0	29	1		6.5	3.5	3.0	4.0		1.5		Early Mature	Structural condition Fair. Physiological condition Good. Leaning trunk - Major.	14/04/2021	38.0	3.5	20-40	B1/B2		
Tree T103	1 Acer platanoides (Norway Maple)	11.0	25	1	4.5	4.5	4.5	4.5			2.0		Early Mature	Structural condition Fair. Physiological condition Fair. Bark wound - Minor. Decay / structural defect - Bole.	14/04/2021	28.3	3.0	20-40	B1/B2		
Tree T104	1 Acer platanoides (Norway Maple)	13.0	31	1	4.5	3.5	3.5	5.0			3.0		Mature	Structural condition Fair. Physiological condition Fair. Deadwood - Minor.	14/04/2021	43.5	3.7	20-40	B1/B2		
Tree T105	1 Sorbus aucuparia (Rowan/Mountain Ash)	11.0	26	1	3.5	3.5	3.5	3.5			2.0		Mature	Structural condition Fair. Physiological condition Fair. Decay / structural defect - Bole. Fork - Weak with included bark.	14/04/2021	30.6	3.1	20-40	B1/B2		

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T106	1 Prunus sp. (Cherry sp.)	13.0	36	1	4.0		4.0		4.5		5.5		2.0		Mature	Structural condition Fair. Physiological condition Fair. Decay / structural defect - Bole. Fork - Weak with included bark.	14/04/2021	58.6	4.3	10-20	C1/C2
Tree T107	1 Platanus x hispanica (London Plane)	20.0	75	1		11.0		9.0		8.5		8.0	2.5		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Arboricultural work - Recent. Form - Spreading crown.	14/04/2021	254.5	9.0	40+	A1/A2
Tree T108	1 Acer campestre (Field Maple)	13.0	33	1	2.0		5.5		5.0		2.5		2.5		Mature	Structural condition Fair. Physiological condition Fair. Deadwood - Major. Leaning trunk - Minor.	14/04/2021	49.3	4.0	10-20	C1/C2
Tree T109	1 Acer campestre (Field Maple)	12.0	40	1	6.5		6.5		4.5		5.0		2.0		Mature	Structural condition Fair. Physiological condition Fair. Buttresses / buttress roots - Minor adaptive growth / moderate development. Form - Spreading crown. Root damage - Mower. Raised surface roots.	14/04/2021	72.4	4.8	20-40	B1/B2
Tree T110	1 Acer campestre (Field Maple)	13.0	37	1	5.0		5.0		3.5		6.0		3.0		Mature	Structural condition Fair. Physiological condition Fair. Buttresses / buttress roots - Minor adaptive growth / moderate development.	14/04/2021	61.9	4.4	20-40	B1/B2
Tree T111	1 Acer pseudoplatanus (Sycamore)	18.0	54	1	5.5		6.0		3.5		6.0		4.0		Mature	Structural condition Fair. Physiological condition Fair. Decay / structural defect - Bole. Girdling roots - Minor. Root damage - Mower. Raised surface roots.	14/04/2021	131.9	6.5	20-40	B1/B2
Tree T112	1 Acer pseudoplatanus (Sycamore)	16.0	54	1	3.5		7.0		7.0		7.0		3.5		Mature	Structural condition Fair. Physiological condition Fair. Decay / structural defect - Bole. Girdling roots - Minor. Root damage - Mower. Raised surface roots.	14/04/2021	131.9	6.5	20-40	B1/B2
Tree T113	1 Acer saccharinum (Silver Maple)	16.0	55	1	9.5		9.5		9.5		9.5		3.5		Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Historic. Decay / structural defect - Bole. Form - Spreading crown. Raised surface roots.	14/04/2021	136.8	6.6	20-40	B1/B2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T114	Fraxinus excelsior (Ash)	13.0	33	1	3.0		5.5		3.0		5.5		3.5		Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Historic.	14/04/2021	49.3	4.0	10-20	C1/C2
Tree T115	1 Salix sp. (Willow sp.)	17.0	76 COM	4	4.0		7.0		5.0		7.0		1.5		Mature	Structural condition Poor. Physiological condition Fair. Competition - Adjacent trees. Crown reduction - Historic. Decay / structural defect - Base. Multi-stemmed.	14/04/2021	261.3	9.1	10-20	C1/C2
Tree T116	1 Ailanthus altissima (Tree Of Heaven)	15.0	46	1	7.0		2.5		6.5		5.0		5.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	14/04/2021	95.7	5.5	10-20	C1/C2
Tree T117	1 Prunus sp. (Cherry sp.)	13.0	26 COM	4		5.5		4.5		3.0		4.0	3.0		Mature	Structural condition Fair. Physiological condition Fair. Decay / structural defect - Base. Multi-stemmed.	14/04/2021	31.7	3.2	10-20	C1/C2
Tree T118	1 Betula pendula (Silver Birch)	13.0	37	1	5.0		5.0		4.0		3.5		2.0		Mature	Structural condition Fair. Physiological condition Good.	14/04/2021	61.9	4.4	20-40	B1/B2
Tree T119	1 Betula pendula (Silver Birch)	12.0	20	1	2.5		3.0		3.0		3.0		3.0		Mature	Structural condition Fair. Physiological condition Fair. Base / stems obscured - Vegetation.	14/04/2021	18.1	2.4	10-20	C1/C2
Tree T120	1 Betula sp. (Birch)	7.5	16	1	2.0		1.0		1.5		2.5		2.0		Early Mature	Structural condition Fair. Physiological condition Fair. Base / stems obscured - Vegetation.	14/04/2021	11.6	1.9	10-20	C1/C2
Tree T121	1 Cerasus avium (Wild Cherry)	13.0	34	1	6.0		6.0		6.0		6.0		2.5		Mature	Structural condition Fair. Physiological condition Fair. Base / stems obscured - Vegetation. Decay / structural defect - Bole. Fork - Weak with included bark. Raised surface roots.	14/04/2021	52.3	4.1	20-40	B1/B2
Tree T122	1 Cerasus avium (Wild Cherry)	13.0	28	1	4.5		4.5		4.5		4.5		3.0		Mature	Structural condition Fair. Physiological condition Fair. Base / stems obscured - Structure. Base / stems obscured - Vegetation.	14/04/2021	35.5	3.4	10-20	C1/C2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By

**MyTREES**  
tree management software

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T123	1 Sambucus nigra (Elder)	7.0	22 COM	6	2.0		2.0		2.0		2.0		2.0		Mature	Structural condition Fair. Physiological condition Fair. Base / stems obscured - Structure. Base / stems obscured - Vegetation. Multi-stemmed.	14/04/2021	22.0	2.6	10-20	C2
Tree T124	1 Fraxinus excelsior (Ash)	8.0	20	1	2.0		2.0		2.0		2.0		3.0		Early Mature	Structural condition Poor. Physiological condition Fair. Arboricultural work - Recent.	14/04/2021	18.1	2.4	0-10	U
Tree T125	1 Ailanthus altissima (Tree Of Heaven)	6.5	27 COM	3	3.0		1.0		3.0		3.0		3.0		Mature	Structural condition Poor. Physiological condition Fair. Base / stems obscured - Vegetation. Decay / structural defect - Bole.	14/04/2021	34.7	3.3	10-20	C2
Tree T126	1 Fraxinus excelsior (Ash)	13.0	35	1	6.0		6.0		6.0		4.5		4.0		Mature	Structural condition Fair. Physiological condition Fair. Base / stems obscured - Vegetation. Ivy or climbing plant.	14/04/2021	55.4	4.2	10-20	C1/C2
Tree T127	1 Sambucus nigra (Elder)	6.0	26 COM	3	2.0		3.0		3.0		2.0		2.0		Mature	Structural condition Poor. Physiological condition Fair. Base / stems obscured - Structure. Decay / structural defect - Base. Decay / structural defect - Bole.	14/04/2021	31.4	3.2	10-20	C2
Tree T128	1 Acer pseudoplatanus (Sycamore)	7.0	19 COM	6	2.0		2.0		2.0		2.0		2.5		Early Mature	Structural condition Poor. Physiological condition Poor. Access to inspect base - Restricted / obscured. Base / stems obscured - Structure. Base / stems obscured - Vegetation. Multi-stemmed.	14/04/2021	17.4	2.4	0-10	U
Tree T129	1 Fraxinus excelsior (Ash)	8.0	19 COM	6	2.5		2.5		2.5		2.5		2.5		Early Mature	Structural condition Poor. Physiological condition Poor. Access to inspect base - Restricted / obscured. Base / stems obscured - Structure. Base / stems obscured - Vegetation. Multi-stemmed.	14/04/2021	17.4	2.4	0-10	U
Tree T130	1 Acer pseudoplatanus (Sycamore)	5.0	16 COM	4	0.5		0.5		1.0		1.5		2.5		Early Mature	Structural condition Poor. Physiological condition Poor. Access to inspect base - Restricted / obscured. Base / stems obscured - Structure. Base / stems obscured - Vegetation. Multi-stemmed.	14/04/2021	11.6	1.9	0-10	U

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T131	1 Fraxinus excelsior (Ash)	6.5	20	1	2.0		2.0		2.0		2.0		3.0		Early Mature	Structural condition Poor. Physiological condition Fair. Base / stems obscured - Vegetation. Decay / structural defect - Base. Ivy or climbing plant.	14/04/2021	18.1	2.4	0-10	U
Tree T132	1 Acer pseudoplatanus (Sycamore)	10.0	25	1	4.0		4.0		2.0		3.0		2.0		Early Mature	Structural condition Poor. Physiological condition Fair.	14/04/2021	28.3	3.0	0-10	U
Tree T133	1 Acer pseudoplatanus (Sycamore)	10.0	29 COM	2	3.5		5.0		3.0		3.0		1.0		Early Mature	Structural condition Poor. Physiological condition Fair. Decay / structural defect - Base. Decay / structural defect - Bole.	14/04/2021	38.5	3.5	0-10	U
Tree T134	1 Sambucus nigra (Elder)	4.0	13 COM	5		0.5		0.5		1.5		1.5	1.0		Mature	Structural condition Poor. Physiological condition Fair.	14/04/2021	8.1	1.6	0-10	U
Tree T135	1 Fraxinus excelsior (Ash)	7.5	15	1	2.0		2.0		2.0		2.0		2.0		Semi Mature	Structural condition Poor. Physiological condition Fair.	14/04/2021	10.2	1.8	0-10	U
Tree T136	1 Acer pseudoplatanus (Sycamore)	4.5	15	1	1.0		1.0		1.0		3.0		2.0		Semi Mature	Structural condition Poor. Physiological condition Fair.	14/04/2021	10.2	1.8	0-10	U
Tree T137	1 Sambucus nigra (Elder)	3.5	13 COM	5	1.0		0.5		0.5		2.0		1.0		Mature	Structural condition Poor. Physiological condition Fair.	14/04/2021	8.1	1.6	0-10	U
Group G138	8 Betula pendula (Silver Birch)	15.0	20 AVE										1.5		Early Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Not possible. Off-Site. Position estimated.	14/04/2021			10-20	C2
Tree T139	1 Tilia x vulgaris (Common Lime)	13.0	47	1	5.0		4.0		4.0		5.0		3.0		Mature	Structural condition Fair. Physiological condition Fair. Crown reduction - Recent. Off-Site. Position estimated.	14/04/2021	99.9	5.6	20-40	B1/B2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By





Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T140	Acer pseudoplatanus (Sycamore)	13.0	52	1	6.0		5.5		6.0		6.0		3.5		Mature	Structural condition Fair. Physiological condition Fair. Off-Site. Position estimated.	14/04/2021	122.3	6.2	20-40	B1/B2
Tree T141	1 Pyracantha coccinea (Pyracantha)	6.0	39 COM	7		3.5		4.0		5.5		2.5	1.5		Mature	Structural condition Fair. Physiological condition Good. Access to inspect base - Restricted / obscured. Multi-stemmed. Off-Site. Position estimated.	14/04/2021	71.3	4.8	10-20	C1/C2
Tree T142	1 Tilia x vulgaris (Common Lime)	17.0	57	1		7.0		7.0		5.0		7.0	2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Epicormic growth - Base. Off-Site.	14/04/2021	147.0	6.8	40+	A1/A2
Tree T143	1 Tilia x vulgaris (Common Lime)	17.0	53	1		4.5		7.0		4.5		7.0	2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Epicormic growth - Base. Off-Site.	14/04/2021	127.1	6.4	40+	A1/A2
Tree T144	1 Tilia x vulgaris (Common Lime)	17.0	49	1		4.5		7.0		6.0		7.0	2.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Historic. Epicormic growth - Base. Raised surface roots. Off-Site.	14/04/2021	108.6	5.9	40+	A1/A2
Tree T145	1 Acer platanoides (Norway Maple)	12.0	52	1	5.0		4.0		5.0		5.5		3.5		Mature	Structural condition Fair. Physiological condition Poor. Arboricultural work - Recent. Decline - Evident / observed. Deadwood - Minor. Form - Spreading crown. Off-Site. Position estimated.	14/04/2021	122.3	6.2	20-40	C1/C2
Tree T146	1 Malus tschonoskii (Pillar Apple)	10.0	19	1	2.0		2.0		2.0		1.5		4.5		Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Historic. Competition - Adjacent trees. Deadwood - Minor. Decay / structural defect - Base. Leaning trunk - Minor. Off-Site. Position estimated.	14/04/2021	16.3	2.3	10-20	C1/C2
Tree T147	1 Sorbus aucuparia (Rowan/Mountain Ash)	5.0	16	1	2.5		4.5		2.5		1.5		2.0		Early Mature	Structural condition Poor. Physiological condition Fair. Access to inspect base - Restricted / obscured. Competition - Adjacent trees. Leaning trunk - Minor.	14/04/2021	11.6	1.9	10-20	C2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By

**MyTREES**  
tree management software

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T148	1 Salix sp. (Willow sp.)	10.0	39 COM	7	4.0		4.0		4.0		4.0		2.0		Mature	Structural condition Poor. Physiological condition Fair. Coppice stool - Regrown. Decay / structural defect - Base. Decay / structural defect - Bole.	14/04/2021	71.3	4.8	10-20	C2
Tree T149	1 Sorbus aucuparia (Rowan/Mountain Ash)	6.0	14	1	1.5		1.0		2.0		2.0		2.0		Early Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	14/04/2021	8.9	1.7	10-20	C2
Tree T150	1 Cerasus avium (Wild Cherry)	12.0	22	1	4.5		3.0		1.0		4.5		2.0		Early Mature	Structural condition Fair. Physiological condition Good. Competition - Adjacent trees. Decay / structural defect - Bole. Fork - Weak with included bark. Leaning trunk - Minor.	14/04/2021	21.9	2.6	10-20	C1/C2
Tree T151	1 Fraxinus excelsior (Ash)	13.0	27	1	2.0		1.0		2.0		4.5		3.0		Early Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Competition - Adjacent trees.	14/04/2021	33.0	3.2	10-20	C1/C2
Tree T152	1 Cerasus avium (Wild Cherry)	8.0	12	1	1.5		1.5		1.5		1.5		2.0		Semi Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	14/04/2021	6.5	1.4	10-20	C2
Tree T153	1 Cerasus avium (Wild Cherry)	7.0	12	1	1.0		1.5		2.5		1.5		2.0		Semi Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	14/04/2021	6.5	1.4	10-20	C2
Tree T154	1 Aesculus hippocastanum (Horse Chestnut)	9.5	36	1	3.0		3.0		3.0		3.0		3.0		Early Mature	Structural condition Poor. Physiological condition Fair. Decline - Suspected. Decay / structural defect - Base. Decay / structural defect - Bole.	14/04/2021	58.6	4.3	10-20	C1/C2
Tree T155	1 Cerasus avium (Wild Cherry)	13.0	48	1	8.0		9.5		8.0		8.0		2.0		Mature	Structural condition Fair. Physiological condition Good. Decay / structural defect - Bole. Form - Spreading crown. Root damage - Mower. Raised surface roots.	14/04/2021	104.2	5.8	20-40	B1/B2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T156	Cerasus avium (Wild Cherry)	13.0	29	1	2.5		2.0		5.0		4.5		2.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Decay / structural defect - Bole.	14/04/2021	38.0	3.5	20-40	B1/B2
Tree T157	1 Cerasus avium (Wild Cherry)	11.0	16	1		2.0		1.0		2.5		5.0	4.0		Early Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	14/04/2021	11.6	1.9	10-20	C1/C2
Tree T158	1 Cerasus avium (Wild Cherry)	11.0	25	1	3.5		1.0		4.0		5.0		3.0		Early Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Decay / structural defect - Bole.	14/04/2021	28.3	3.0	10-20	C1/C2
Tree T159	1 Acer saccharinum (Silver Maple)	16.0	41	1	9.5		5.0		5.0		6.5		2.0		Mature	Structural condition Fair. Physiological condition Good. Competition - Adjacent trees. Form - Spreading crown. Root damage - Mower.	14/04/2021	76.0	4.9	20-40	B1/B2
Tree T160	1 Acer pseudoplatanus (Sycamore)	11.0	30	1	4.0		4.0		4.0		4.0		4.5		Early Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Not possible. Off-Site. Position estimated.	14/04/2021	40.7	3.6	20-40	B1/B2
Tree T161	1 Acer pseudoplatanus (Sycamore)	15.0	60 COM	3	5.0		5.0		4.5		4.5		4.0		Mature	Structural condition Fair. Physiological condition Fair. Crown reduction - Historic. Decay / structural defect - Base. Decay / structural defect - Bole. Fork - Weak with included bark. Girdling roots - Major. Pruning wounds - Decayed. Off-Site.	14/04/2021	162.9	7.2	20-40	B1/B2
Tree T162	1 Malus sp. (Apple sp.)	11.0	32	1	5.0		5.0		5.0		3.0		2.0		Mature	Structural condition Fair. Physiological condition Fair. Position estimated.	14/04/2021	46.3	3.8	20-40	B1/B2
Tree T163	1 Prunus cerasifera (Cherry Plum (Myrobalan))	9.0	35 COM	2	5.0		2.0		6.0		4.0		3.0		Mature	Structural condition Poor. Physiological condition Fair. Competition - Adjacent trees. Deadwood - Minor. Decay / structural defect - Bole. Fork - Weak with included bark. Form - Spreading crown. Position estimated.	14/04/2021	56.1	4.2	10-20	C1/C2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m <sup>2</sup> )	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T164	1 Fraxinus angustifolia (Narrow Leaved Ash)	14.0	36	1	7.0		4.0		7.0		3.0		4.0		Mature	Structural condition Fair. Physiological condition Fair. Decay / structural defect in crown limb / limbs - Localised. Decay / structural defect - Bole. Form - Spreading crown. Position estimated.	14/04/2021	58.6	4.3	10-20	C1/C2
Tree T165	1 Cerasus avium (Wild Cherry)	10.0	25	1	3.5		2.0		4.5		2.0		3.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Position estimated.	14/04/2021	28.3	3.0	10-20	C1/C2
Tree T166	1 Fraxinus angustifolia (Narrow Leaved Ash)	15.0	44	1	5.5		5.5		7.5		7.5		4.0		Mature	Structural condition Fair. Physiological condition Fair. Decay / structural defect in crown limb / limbs - Localised. Form - Spreading crown. Position estimated.	14/04/2021	87.6	5.3	10-20	C1/C2
Tree T167	1 Prunus cerasifera (Cherry Plum (Myrobalan))	7.0	28 COM	2	4.0		6.0		3.0		2.0		2.0		Mature	Structural condition Poor. Physiological condition Fair. Decay / structural defect - Base. Decay / structural defect - Bole. Position estimated.	14/04/2021	36.2	3.4	10-20	C1/C2
Tree T168	1 Sorbus aucuparia (Rowan/Mountain Ash)	8.0	25	1	4.0		3.0		2.0		1.5		3.0		Mature	Structural condition Fair. Physiological condition Fair. Leaning trunk - Minor.	14/04/2021	28.3	3.0	10-20	C1/C2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Category and definition	Criteria (including subcategories where appropriate)			Identification on plan
<b>Trees unsuitable for retention (see note)</b>				
<b>Category U</b>  Those in such a condition that they cannot realistically be retained as living trees in the context of the current land use for longer than 10 years	<ul style="list-style-type: none"> <li>* Trees that have a serious, irremediable, structural defect, such that their early loss is expected due to collapse, including those that will become unviable after removal of other category U trees (e.g. where, for whatever reason, the loss of companion shelter cannot be mitigated by pruning)</li> <li>* Trees that are dead or are showing signs of significant, immediate, and irreversible overall decline</li> <li>* Trees infected with pathogens of significance to health and/or safety of other trees nearby, or very low quality trees suppressing adjacent trees of better quality</li> </ul> <p>NOTE Category U trees can have existing or potential conservation value which it might be desirable to preserve; see 4.5.7</p>			<b>RED</b>
	<b>1 Mainly arboricultural qualities</b>	<b>2 Mainly landscape qualities</b>	<b>3 Mainly cultural values, including conservation</b>	
<b>Trees to be considered for retention</b>				
<b>Category A</b>  <b>Trees of high quality</b>  with an estimated remaining life expectancy of at least 40 years	Tree that are particularly good examples of their species, especially if rare or unusual; or those that are essential components of groups or formal or semi-formal arboricultural features (e.g. the dominant and/or principal trees within an avenue).	Trees, groups or woodlands of particular visual importance as arboricultural and/or landscape features.	Trees, groups or woodlands of significant conservation, historical, commemorative or other value (e.g. veteran trees or wood-pasture).	<b>GREEN</b>
<b>Category B</b>  <b>Trees of moderate quality</b>  with an estimated remaining life expectancy of at least 20 years	Trees that might be included in category A, but are downgraded because of impaired condition (e.g. presence of significant though remediable defects, including unsympathetic past management and storm damage), such that they are unlikely to be suitable for retention for beyond 40 years; or trees lacking the special quality necessary to merit the category A designation.	Trees present in numbers, usually growing as groups or woodlands, such that they attract a higher collective rating than they might as individuals; or trees occurring as collectives but situated so as to make little visual contribution to the wider locality.	Trees with material conservation or other cultural value.	<b>BLUE</b>
<b>Category C</b>  <b>Trees of low quality</b>  with an estimated remaining life expectancy of at least 10 years, or young trees with a stem diameter below 150 mm	Unremarkable trees of very limited merit or such impaired condition that they do not qualify in higher categories.	Trees present in groups or woodlands, but without this conferring on them significantly greater collective landscape value; and/or trees offering low or only temporary/transient landscape benefits.	Trees with no material conservation or other cultural value.	<b>GREY</b>